

## Psicobiotici e depressione

di Gabriella Reggina

### Bibliografia di riferimento

1. Dziejczak A, Maciak K, Bliźniewska-Kowalska K, Gałęcka M, Kobierecka W, Saluk J. The Power of Psychobiotics in Depression: A Modern Approach through the Microbiota-Gut-Brain Axis: A Literature Review. *Nutrients*. 2024 Apr 4;16(7):1054. doi: 10.3390/nu16071054. PMID: 38613087; PMCID: PMC11013390.
2. Halaris A, Sohl E, Whitham EA. Treatment-Resistant Depression Revisited: A Glimmer of Hope. *J Pers Med*. 2021 Feb 23;11(2):155. doi: 10.3390/jpm11020155. PMID: 33672126; PMCID: PMC7927134.
3. Heim C, Newport DJ, Mletzko T, Miller AH, Nemeroff CB. The link between childhood trauma and depression: insights from HPA axis studies in humans. *Psychoneuroendocrinology*. 2008 Jul;33(6):693-710. doi: 10.1016/j.psyneuen.2008.03.008. PMID: 18602762.
4. Gonul AS, Akdeniz F, Taneli F, Donat O, Eker C, Vahip S. Effect of treatment on serum brain-derived neurotrophic factor levels in depressed patients. *Eur Arch Psychiatry Clin Neurosci*. 2005 Dec;255(6):381-6. doi: 10.1007/s00406-005-0578-6. Epub 2005 Apr 6. PMID: 15809771.
5. Anand N, Gorantla VR, Chidambaram SB. The Role of Gut Dysbiosis in the Pathophysiology of Neuropsychiatric Disorders. *Cells*. 2022 Dec 23;12(1):54. doi: 10.3390/cells12010054. PMID: 36611848; PMCID: PMC9818777.
6. Sarkar A, Lehto SM, Harty S, Dinan TG, Cryan JF, Burnet PWJ. Psychobiotics and the Manipulation of Bacteria-Gut-Brain Signals. *Trends Neurosci*. 2016 Nov;39(11):763-781. doi: 10.1016/j.tins.2016.09.002. Epub 2016 Oct 25. PMID: 27793434; PMCID: PMC5102282.
7. Zareie M, Johnson-Henry K, Jury J, Yang PC, Ngan BY, McKay DM, Soderholm JD, Perdue MH, Sherman PM. Probiotics prevent bacterial translocation and improve intestinal barrier function in rats following chronic psychological stress. *Gut*. 2006 Nov;55(11):1553-60. doi: 10.1136/gut.2005.080739. Epub 2006 Apr 25. PMID: 16638791; PMCID: PMC1860130.
8. Gilbert K, Arseneault-Bréard J, Flores Monaco F, Beaudoin A, Bah TM, Tompkins TA, Godbout R, Rousseau G. Attenuation of post-myocardial infarction depression in rats by n-3 fatty acids or probiotics starting after the onset of reperfusion. *Br J Nutr*. 2013 Jan 14;109(1):50-6. doi: 10.1017/S0007114512003807. Epub 2012 Oct 15. PMID: 23068715.
9. Ait-Belgnaoui A, Payard I, Rolland C, Harkat C, Braniste V, Théodorou V, Tompkins TA. *Bifidobacterium longum* and *Lactobacillus helveticus* Synergistically Suppress Stress-related Visceral Hypersensitivity Through Hypothalamic-Pituitary-Adrenal Axis

- Modulation. *J Neurogastroenterol Motil.* 2018 Jan 30;24(1):138-146. doi: 10.5056/jnm16167. PMID: 29291614; PMCID: PMC5753912.
10. Liu YW, Liu WH, Wu CC, Juan YC, Wu YC, Tsai HP, Wang S, Tsai YC. Psychotropic effects of *Lactobacillus plantarum* PS128 in early life-stressed and naïve adult mice. *Brain Res.* 2016 Jan 15;1631:1-12. doi: 10.1016/j.brainres.2015.11.018. Epub 2015 Nov 24. PMID: 26620542.
  11. Tian P, Chen Y, Zhu H, Wang L, Qian X, Zou R, Zhao J, Zhang H, Qian L, Wang Q, Wang G, Chen W. *Bifidobacterium breve* CCFM1025 attenuates major depression disorder via regulating gut microbiome and tryptophan metabolism: A randomized clinical trial. *Brain Behav Immun.* 2022 Feb;100:233-241. doi: 10.1016/j.bbi.2021.11.023. Epub 2021 Dec 4. PMID: 34875345.
  12. Hao Z, Wang W, Guo R, Liu H. *Faecalibacterium prausnitzii* (ATCC 27766) has preventive and therapeutic effects on chronic unpredictable mild stress-induced depression-like and anxiety-like behavior in rats. *Psychoneuroendocrinology.* 2019 Jun;104:132-142. doi: 10.1016/j.psyneuen.2019.02.025. Epub 2019 Feb 26. PMID: 30844607.
  13. Bravo JA, Forsythe P, Chew MV, Escaravage E, Savignac HM, Dinan TG, Bienenstock J, Cryan JF. Ingestion of *Lactobacillus* strain regulates emotional behavior and central GABA receptor expression in a mouse via the vagus nerve. *Proc Natl Acad Sci U S A.* 2011 Sep 20;108(38):16050-5. doi: 10.1073/pnas.1102999108. Epub 2011 Aug 29. PMID: 21876150; PMCID: PMC3179073.
  14. Kato-Kataoka A, Nishida K, Takada M, Suda K, Kawai M, Shimizu K, Kushihiro A, Hoshi R, Watanabe O, Igarashi T, Miyazaki K, Kuwano Y, Rokutan K. Fermented milk containing *Lactobacillus casei* strain Shirota prevents the onset of physical symptoms in medical students under academic examination stress. *Benef Microbes.* 2016;7(2):153-6. doi: 10.3920/BM2015.0100. Epub 2015 Dec 21. PMID: 26689231.
  15. Zhang X, Chen S, Zhang M, Ren F, Ren Y, Li Y, Liu N, Zhang Y, Zhang Q, Wang R. Effects of Fermented Milk Containing *Lactobacillus paracasei* Strain Shirota on Constipation in Patients with Depression: A Randomized, Double-Blind, Placebo-Controlled Trial. *Nutrients.* 2021 Jun 29;13(7):2238. doi: 10.3390/nu13072238. PMID: 34209804; PMCID: PMC8308326.
  16. Akkasheh G, Kashani-Poor Z, Tajabadi-Ebrahimi M, Jafari P, Akbari H, Taghizadeh M, Memarzadeh MR, Asemi Z, Esmailzadeh A. Clinical and metabolic response to probiotic administration in patients with major depressive disorder: A randomized, double-blind, placebo-controlled trial. *Nutrition.* 2016 Mar;32(3):315-20. doi: 10.1016/j.nut.2015.09.003. Epub 2015 Sep 28. PMID: 26706022.
  17. Miyaoka T, Kanayama M, Wake R, Hashioka S, Hayashida M, Nagahama M, Okazaki S, Yamashita S, Miura S, Miki H, Matsuda H, Koike M, Izuhara M, Araki T, Tsuchie K, Azis IA, Arauchi R, Abdullah RA, Oh-Nishi A, Horiguchi J. *Clostridium butyricum* MIYAIRI 588 as Adjunctive Therapy for Treatment-Resistant Major Depressive Disorder: A Prospective Open-Label Trial. *Clin Neuropharmacol.* 2018 Sep/Oct;41(5):151-155. doi: 10.1097/WNF.000000000000299. PMID: 30234616.
  18. Moludi J, Khedmatgozar H, Nachvak SM, Abdollahzad H, Moradinazar M, Sadeghpour

- Tabaei A. The effects of co-administration of probiotics and prebiotics on chronic inflammation, and depression symptoms in patients with coronary artery diseases: a randomized clinical trial. *Nutr Neurosci*. 2022 Aug;25(8):1659-1668. doi: 10.1080/1028415X.2021.1889451. Epub 2021 Feb 28. PMID: 33641656.
19. Skonieczna-Żydecka K, Grochans E, Maciejewska D, Szkup M, Schneider-Matyka D, Jurczak A, Łoniewski I, Kaczmarczyk M, Marlicz W, Czerwińska-Rogowska M, Pełka-Wysiecka J, Dec K, Stachowska E. Faecal Short Chain Fatty Acids Profile is Changed in Polish Depressive Women. *Nutrients*. 2018 Dec 7;10(12):1939. doi: 10.3390/nu10121939. PMID: 30544489; PMCID: PMC6316414.
20. Church JS, Bannish JAM, Adrian LA, Rojas Martinez K, Henshaw A, Schwartz JJ. Serum short chain fatty acids mediate hippocampal BDNF and correlate with decreasing neuroinflammation following high pectin fiber diet in mice. *Front Neurosci*. 2023 Apr 11;17:1134080. doi: 10.3389/fnins.2023.1134080. PMID: 37123365; PMCID: PMC10130583.